



12A1
2 Way Configuratiⁿ With Active Filter
CLASS AB AMPLIFIER,
USB/SD MP3,FM
Radio,Bluetooth
2 WAY MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or RCA
2 Band EQ
LINE OUTPUT: XLR
POWER CAPACITY: **180W**
Power Voltage: AC100V-AC240V



12A2
2 Way Configuratiⁿ With Active Filter
CLASS AB AMPLIFIER,
USB/SD MP3, FM Radio,
Bluetooth
1 WAY VHF WIRELESS
MIC INPUT
MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or RCA, 1/4" Jack
2 Band EQ
LINE OUTPUT: XLR
POWER CAPACITY: **180W**
Power Voltage: AC100V-AC240V



12A3
2 Way Configuratiⁿ With Active Filter
THE SPEAKER WITH DSP
PROCESSOR
AND 4 MODES CAN BE
SELECTED
CLASS AB AMPLIFIER,
USB/SD MP3, FM Radio,
Bluetooth
MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or RCA, 1/4" Jack
LINE OUTPUT: XLR
POWER CAPACITY: **400W**
Power Voltage: AC115V & AC230V



12A4
2 Way Configuratiⁿ With Passive Filter
CLASS AB AMPLIFIER,
USB/SD MP3, FM Radio,
Bluetooth
MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or RCA, 1/4" Jack
2 Band EQ
CAN LINK OUT TO
PASSIVE SPEAKER
LINE OUTPUT: XLR
POWER CAPACITY: **400W**
Power Voltage: AC115V & AC230V



12A5
2 Way Configuratiⁿ With Active Filter
THE SPEAKER WITH DSP
PROCESSOR
AND 4 MODES CAN BE
SELECTED
CLASS D AMPLIFIER,
USB/SD MP3,Bluetooth
2-WAY MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or 1/4" Jack
LINE OUTPUT: XLR
POWER CAPACITY: **600W**
Power Voltage: AC100V-AC240V



12A6
2 Way Configuratiⁿ With Active Filter
THE SPEAKER WITH DSP
PROCESSOR
AND 5 MODES CAN BE
SELECTED
CLASS D AMPLIFIER,
Bluetooth
2-WAY MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or 1/4" Jack
LINE OUTPUT: XLR
POWER CAPACITY: **800W**
Power Voltage: AC100V-AC240V



12A7
2 Way Configuratiⁿ With Passive Filter
CLASS AB AMPLIFIER,
USB/SD MP3, FM Radio,
Bluetooth
MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or RCA
2 Band EQ
LINE OUTPUT: XLR or 1/4" Jack
POWER CAPACITY: **180W**
Power Voltage: AC115V & AC230V



12A8
2 Way Configuratiⁿ With Passive Filter
CLASS D AMPLIFIER,
USB/SD MP3, Bluetooth
MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or RCA, 1/4" Jack
2 Band EQ
CAN LINK OUT TO
PASSIVE SPEAKER
LINE OUTPUT: XLR
POWER CAPACITY: **400W**
Power Voltage: AC100V-AC240V



12A9
2 Way Configuratiⁿ With Active Filter
THE SPEAKER WITH
DSP PROCESSOR
AND 4 MODES CAN BE
SELECTED
CLASS D AMPLIFIER
MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or 1/4" Jack,
RCA
2 Band EQ
LINE OUTPUT: XLR
POWER CAPACITY: **500W**
Power Voltage: AC100V-AC240V



12A10
2 Way Configuratiⁿ With Active Filter
THE SPEAKER WITH DSP
PROCESSOR
AND 4 MODES CAN BE
SELECTED
CLASS D AMPLIFIER
USB/SD, MP3, Bluetooth
MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or 1/4" Jack, RCA
2 Band EQ
LINE OUTPUT: XLR
POWER CAPACITY: **250W**
Power Voltage: AC90V-AC264V



12A11
2 Way Configuratiⁿ With Active Filter
THE SPEAKER WITH DSP
PROCESSOR
AND 4 MODES CAN BE
SELECTED
CLASS D AMPLIFIER,
Stereo Bluetooth
MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or 1/4" Jack, RCA
2 Band EQ
LINE OUTPUT: XLR
POWER CAPACITY: **250W**
Power Voltage: AC90V-AC264V



12A12
2 Way Configuratiⁿ With Active Filter
THE SPEAKER WITH DSP
PROCESSOR
AND 4 MODES CAN BE
SELECTED
CLASS AB, USB/SD, MP3,
FM Radio,
Stereo Bluetooth
MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or 1/4" Jack, RCA
2 Band EQ
LINE OUTPUT: XLR
POWER CAPACITY: **200W**
Power Voltage: AC115V & AC230V



12A13
2 Way Configuratiⁿ With Passive Filter
CLASS AB AMPLIFIER
USB/SD MP3, FM Radio,
Bluetooth
MIC INPUT: XLR (2 way)
LINE INPUT: 1/4" Jack or RCA,
3.5mm Jack
2 BAND EQ
LINE OUTPUT: RCA
POWER CAPACITY: **180W**
Power Voltage: AC115V-AC230V



12A14
2 Way Configuratiⁿ With Active Filter
CLASS H BI-AMP
USB/SD MP3, Bluetooth
WITH DSP PROCESSOR
AND 4 MODES CAN BE
SELECTED
MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or 1/4" Jack, RCA
LINE OUTPUT: XLR
POWER CAPACITY: **600W**
Power Voltage: AC115V & AC230V



12A15
2 Way Configuratiⁿ With Active Filter
CLASS AB AMPLIFIER,
USB/SD MP3, FM
Radio,Delay, Echo
Processor, Stereo
Bluetooth
2 WAY MIC INPUT: 1/4" Jack
LINE INPUT: RCA
2 Band EQ
LINE OUTPUT: 1/4" Jack
POWER CAPACITY: **180W**
Power Voltage: AC115V-AC230V



12A17
2 Way Configuratiⁿ With Passive Filter
CLASS AB AMPLIFIER,
USB/SD MP3, FM Radio,
Stereo Bluetooth
CAN LINK OUT TO
PASSIVE SPEAKER
2 Band EQ
MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or RCA, 1/4" Jack
LINE OUTPUT: XLR
POWER CAPACITY: **180W**
Power Voltage: AC115V & AC230V



12A18
2 Way Configuratiⁿ With Active Filter
CLASS AB AMPLIFIER,
USB/SD MP3, FM Radio,
Bluetooth
WITH DSP PROCESSOR
AND 4 MODES CAN BE
SELECTED
MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or RCA, 1/4" Jack
LINE OUTPUT: XLR
POWER CAPACITY: **400W**
Power Voltage: AC115V & AC230V



12A19
2 Way Configuratiⁿ With Active Filter
CLASS AB AMPLIFIER
MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or RCA, 1/4" Jack
2 Band EQ
LINE OUTPUT: XLR
POWER CAPACITY: **180W**
Power Voltage: AC115V & AC230V



12A20
2 Way Configuratiⁿ With Passive Filter
CLASS AB AMPLIFIER,
USB/SD MP3, FM Radio,
Bluetooth
MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or RCA
2 Band EQ
CAN LINK OUT TO
PASSIVE SPEAKER
LINE OUTPUT: XLR or 1/4" Jack
POWER CAPACITY: **180W**
Power Voltage: AC115V & AC230V



12A21
2 Way Configuratiⁿ With Active Filter
CLASS AB AMPLIFIER,
USB/SD MP3, FM
Radio,Delay,
Echo Processor, Bluetooth
2 WAY MIC INPUT: 1/4" Jack
LINE INPUT: RCA
2 Band EQ
LINE OUTPUT: 1/4" Jack
POWER CAPACITY: **180W**
Power Voltage: AC115V-AC230V



12A24
2 Way Configuratiⁿ With Active Filter
CLASS AB AMPLIFIER,
USB/SD MP3, FM Radio,
Stereo Bluetooth
MIC INPUT: XLR or 1/4" Jack
2 Band EQ
LINE INPUT: XLR or RCA, 1/4" Jack
LINE OUTPUT: XLR
POWER CAPACITY: **180W**
Power Voltage: AC115V & AC230V



12A25
2 Way Configuratiⁿ With Active Filter
The Speaker Processor
Based
On DSP Technology
CLASS H AMPLIFIER,
Bluetooth
2-WAY MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or 1/4" Jack, RCA,
3.5mm Jack
LINE OUTPUT: XLR
POWER CAPACITY: **300W**
Power Voltage: AC115V & AC230V



12A26
2 Way Configuratiⁿ With Active Filter
The Speaker Processor
Based On DSP Technology
CLASS H AMPLIFIER, USB,
Bluetooth
2-WAY MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or 1/4" Jack, RCA,
3.5mm Jack
LINE OUTPUT: XLR
POWER CAPACITY: **300W**
Power Voltage: AC115V & AC230V



12A27
2 Way Configuratiⁿ With Active Filter
THE SPEAKER WITH LED
LIGHT
CLASS AB AMPLIFIER,
USB/SD MP3, FM
Radio,Delay,
Echo Processor,Bluetooth
MIC INPUT: XLR or 1/4" Jack
LINE INPUT: XLR or RCA, 1/4" Jack
2 Band EQ
LINE OUTPUT: XLR
POWER CAPACITY: **180W**
Power Voltage: AC115V & AC230V



12A29

2 Way Configuratiopn With Active Filter

THE SPEAKER WITH DSP PROCESSOR AND 5 MODES CAN BE SELECTED

USB Connector CLASS D AMPLIFIER, Bluetooth

2-WAY MIC INPUT: XLR or 1/4" Jack

LINE INPUT: XLR or 1/4" Jack

LINE OUTPUT: XLR

POWER CAPACITY: **800W**

Power Voltage: AC100V-AC240V



12A30

2 Way Configuratiopn With Active Filter

THE SPEAKER WITH LED LIGHT CLASS D AMPLIFIER,

USB,FM Radio,Stereo Bluetooth, Vocal Effects, Key Changer, Voice Canceller

3 BAND EQ WITH ECHO

MIC INPUT: XLR or 1/4" Jack

LINE INPUT: XLR or RCA, 3.5mm Jack

LINE OUTPUT: XLR

POWER CAPACITY: **400W**

Power Voltage: AC100V-AC240V



12A32

2 Way Configuratiopn With Active Filter

CLASS AB AMPLIFIER, USB/SD MP3, FM Radio, Bluetooth

MIC INPUT: XLR or 1/4" Jack

LINE INPUT: XLR or RCA, 1/4" Jack

2 Band EQ

LINE OUTPUT: XLR

POWER CAPACITY: **400W**

Power Voltage: AC115V & AC230V